

NORTHERN TERRITORY OF AUSTRALIA

TERRITORY WILDLIFE REGULATIONS

As in force at 4 February 2004

TABLE OF PROVISIONS

Regulation

1. Citation
2. Prescribed classifications (section 28)
3. Protected wildlife (section 43(2))
4. Animals that are not prohibited entrants (section 52)
5. Authority to kill snakes (section 66(1))
6. Advance payments in respect of royalties (section 116(3)(a))
7. Repeal

SCHEDULE 1

SCHEDULE 2

SCHEDULE 3

Notes

Table of Amendments

NORTHERN TERRITORY OF AUSTRALIA

This reprint shows the Regulations as in force at 4 February 2004. Any amendments that may come into operation after that date are not included.

TERRITORY WILDLIFE REGULATIONS

Regulations under the *Territory Parks and Wildlife Conservation Act*

1. Citation

These Regulations may be cited as the Territory Wildlife Regulations.
(See back note 1)

2. Prescribed classifications (section 28)

(1) The classifications for classifying the conservation status of wildlife in the Territory are the categories known as the IUCN Red List Categories as prepared by the IUCN Species Survival Commission and approved by the IUCN Council from time to time.

(2) In subregulation (1) –

"IUCN" means the International Union for Conservation of Nature and Natural Resources.

3. Protected wildlife (section 43(2))

All species of threatened wildlife, whether identified by classification or species, are protected wildlife.

4. Animals that are not prohibited entrants (section 52)

Animals of a species of animal specified in Schedule 1 are not prohibited entrants.

5. Authority to kill snakes (section 66(1))

For the purposes of section 66(1) of the Act, a person is authorised to kill or injure a snake that is protected wildlife if –

(a) the snake is within 100 metres of an occupied building; or

Territory Wildlife Regulations

- (b) the person honestly believes that it is necessary to kill or injure the snake to avoid an immediate danger of death or injury to a person or a domestic animal.

6. Advance payments in respect of royalties (section 116(3)(a))

For the purposes of section 116(3)(a) of the Act –

- (a) the holder of a permit may, at the time the permit is granted or at any other time before wildlife is taken under the permit, pay the amount specified in column 3 of Schedule 2 for each unit of quantity specified opposite in column 2 of Schedule 2 of the wildlife specified opposite in column 1 of Schedule 2 to be taken under the permit; and
- (b) an amount paid under paragraph (a) is to be credited towards royalties subsequently payable by the holder of the permit to the Territory in respect of wildlife actually taken under the permit.

7. Repeal

The Regulations specified in Schedule 3 are repealed.

SCHEDULE 1

Regulation 4

ANIMALS THAT ARE NOT PROHIBITED ENTRANTS

Mammals

| | |
|------------------------------|-----------------------------|
| <i>Bos javanicus</i> | Bali Cattle |
| <i>Bos taurus</i> | Cattle |
| <i>Bos indicus</i> | Cattle |
| <i>Bubalus bubalis</i> | Buffalo |
| <i>Camelus dromedarius</i> | Camel |
| <i>Canis familiaris</i> | Dog |
| <i>Capra hircus</i> | Goat |
| <i>Carvia porcellus</i> | Guinea Pig |
| <i>Equus asinus</i> | Donkey |
| <i>Equus caballus</i> | Horse |
| <i>Felis catus</i> | Cat |
| <i>Mus musculus</i> | Mouse (laboratory strain) |
| <i>Oryctolagus cuniculus</i> | Rabbit (domestic varieties) |
| <i>Ovis aries</i> | Sheep |
| <i>Rattus rattus</i> | Rat (laboratory strain) |
| <i>Sus scrofa</i> | Pig |

Birds

| | |
|-----------------------------|---------------------------|
| <i>Agapornis</i> spp. | Lovebirds |
| <i>Alisterus scapularis</i> | King Parrot |
| <i>Amadina fasciata</i> | Cut-throat Finch |
| <i>Amandava subflava</i> | Orange-breasted Waxbill |
| <i>Anas platyrhynchos</i> | Domestic Duck |
| <i>Anser anser</i> | Domestic (Grey-lag) Goose |
| <i>Anser cygnoides</i> | Goose |
| <i>Cacatua tenuirostris</i> | Long-billed Corella |
| <i>Cairina moschata</i> | Muscovy Duck |
| <i>Carduelis carduelis</i> | European Goldfinch |

Territory Wildlife Regulations

| | |
|-------------------------------------|---------------------------------|
| <i>Carduelis chloris</i> | Greenfinch |
| <i>Catreus wallichii</i> | Cheer Pheasant |
| <i>Chrysolophus amherstiae</i> | Lady Amherst Pheasant |
| <i>Chrysolophus pictus</i> | Golden Pheasant |
| <i>Columba livia</i> | Domestic Pigeon |
| <i>Coturnix coturnix</i> | Domestic Quail |
| <i>Coturnix chinensis</i> | Chinese Quail |
| <i>Cyanoramphus novaezelandiae</i> | Kakariki (Red-fronted Parakeet) |
| <i>Eclectus roratus</i> | Eclectus Parrot |
| <i>Erythrura trichroa</i> | Blue-faced Parrot-finch |
| <i>Estrilda astrild</i> | Saint Helena Waxbill |
| <i>Estrilda melpoda</i> | Orange-cheeked Waxbill |
| <i>Gallus gallus</i> | Domestic Fowl |
| <i>Glossopsitta concinna</i> | Musk Lorikeet |
| <i>Glossopsitta porphyrocephala</i> | Purple-crowned Lorikeet |
| <i>Glossopsitta pusilla</i> | Little Lorikeet |
| <i>Lagonosticta senegala</i> | African Firefinch |
| <i>Lophura nycthemera</i> | Silver Pheasant |
| <i>Meleagris gallopavo</i> | Turkey |
| <i>Neophema elegans</i> | Elegant Parrot |
| <i>Neophema pulchella</i> | Turquoise Parrot |
| <i>Numidia meleagris</i> | Guineafowl |
| <i>Pavo cristatus</i> | Common Peafowl |
| <i>Platycercus adscitus</i> | Pale-headed Rosella |
| <i>Platycercus elegans</i> | Crimson Rosella |
| <i>Platycercus elegans</i> | Crimson Rosella |
| <i>Platycercus eximius</i> | Eastern Rosella |
| <i>Platycercus icterotis</i> | Western Rosella |
| <i>Polytelis anthopeplus</i> | Regent Parrot |
| <i>Polytelis swainsonii</i> | Superb Parrot |
| <i>Psephotus chrysopterygius</i> | Golden-shouldered Parrot |
| <i>Psephotus haematonotus</i> | Red-rumped Parrot |
| <i>Psittacula cyanocephala</i> | Plum-headed Parakeet |

Territory Wildlife Regulations

| | |
|--------------------------------------|-------------------------|
| <i>Serinus canaria</i> | Canary |
| <i>Stagonopleura guttata</i> | Diamond Firetail |
| <i>Tiaris canora</i> | Cuban Finch |
| <i>Trichoglossus chlorolepidotus</i> | Scaly-breasted Lorikeet |
| <i>Uraeginthus</i> spp. | Cordon Bleu Finches |

SCHEDULE 2

Regulation 6

ADVANCE PAYMENTS IN RESPECT OF ROYALTIES

| Column 1 | Column 2 | Column 3 |
|--------------------------------|------------------|----------------------|
| Wildlife (scientific name) | Unit of Quantity | Amount per Unit (\$) |
| Animals | | |
| <i>Anseranas semipalmata</i> | per egg | 0.40 |
| <i>Calyptorhynchus banksii</i> | per egg | 100.00 |
| | per hatchling | 100.00 |
| <i>Crocodylus johnstoni</i> | per egg | 1.00 |
| | per hatchling | 5.00 |
| | adult < 1.5 m | 10.00 |
| | adult > 1.5 m | 10.00 |
| <i>Crocodylus porosus</i> | per viable egg | 1.25 |
| | per hatchling | 7.50 |
| | adult < 2 m | 25.00 |
| | adult > 2 m | 35.00 |
| Plant Seeds | | |
| <i>Abrus precatorius</i> | per kg | 10.00 |
| <i>Acacia acradenia</i> | per kg | 12.00 |
| <i>Acacia argyraea</i> | per kg | 7.00 |
| <i>Acacia aulacocarpa</i> | per kg | 12.50 |
| <i>Acacia auriculiformis</i> | per kg | 25.00 |
| <i>Acacia colei</i> | per kg | 5.00 |

Territory Wildlife Regulations

| | | |
|----------------------------|--------|-------|
| <i>Acacia cowleana</i> | per kg | 5.00 |
| <i>Acacia dictyophleba</i> | per kg | 7.50 |
| <i>Acacia difficilis</i> | per kg | 10.00 |
| <i>Acacia dimidiata</i> | per kg | 10.00 |
| <i>Acacia dunnii</i> | per kg | 5.00 |
| <i>Acacia gonocarpa</i> | per kg | 15.00 |
| <i>Acacia gonoclada</i> | per kg | 7.50 |
| <i>Acacia hammondii</i> | per kg | 7.50 |
| <i>Acacia hemignosta</i> | per kg | 10.00 |
| <i>Acacia holosericea</i> | per kg | 6.00 |
| <i>Acacia kempeana</i> | per kg | 6.00 |
| <i>Acacia latescens</i> | per kg | 5.00 |
| <i>Acacia lysiphloia</i> | per kg | 7.50 |
| <i>Acacia melleodora</i> | per kg | 7.50 |
| <i>Acacia monticola</i> | per kg | 8.00 |
| <i>Acacia mountfordiae</i> | per kg | 10.00 |
| <i>Acacia multisiliqua</i> | per kg | 10.00 |
| <i>Acacia nuperrima</i> | per kg | 37.50 |
| <i>Acacia oncinocarpa</i> | per kg | 10.00 |
| <i>Acacia platycarpa</i> | per kg | 6.00 |
| <i>Acacia plectocarpa</i> | per kg | 8.00 |
| <i>Acacia retivenea</i> | per kg | 8.00 |
| <i>Acacia shirleyi</i> | per kg | 15.00 |
| <i>Acacia simsii</i> | per kg | 7.50 |
| <i>Acacia torulosa</i> | per kg | 7.50 |
| <i>Acacia tropica</i> | per kg | 20.00 |
| <i>Acacia tumida</i> | per kg | 5.00 |
| <i>Acacia umbellata</i> | per kg | 10.00 |
| <i>Acacia victoriae</i> | per kg | 5.00 |
| <i>Acacia wickhamii</i> | per kg | 15.00 |
| <i>Adenanthera pavonia</i> | per kg | 5.00 |
| <i>Albizia lebbek</i> | per kg | 5.00 |
| <i>Alphitonia excelsa</i> | per kg | 5.00 |

Territory Wildlife Regulations

| | | |
|---------------------------------------------|---------------|-------|
| <i>Asteromyrtus symphyocarpa</i> | per kg | 12.50 |
| <i>Astrebla</i> sp. | per kg | 1.00 |
| <i>Atalaya hemiglauca</i> | per kg | 5.00 |
| <i>Atriplex nummularia</i> | per kg | 10.00 |
| <i>Banksia dentata</i> | per 100 seeds | 7.50 |
| <i>Bombax ceiba</i> | per kg | 10.00 |
| <i>Brachychiton diversifolius</i> | per kg | 11.00 |
| <i>Brachychiton megaphyllus</i> | per kg | 15.00 |
| <i>Brachychiton paradoxus</i> | per kg | 15.00 |
| <i>Buchanania obovata</i> | per kg | 15.00 |
| <i>Callitris intratropica</i> | per kg | 10.00 |
| <i>Canarium australianum</i> | per 100 seeds | 10.00 |
| <i>Carpentaria acuminata</i> | per 100 seeds | 1.25 |
| <i>Cassia artemisioides</i> | per kg | 6.00 |
| <i>Cassia desolata</i> | per kg | 6.00 |
| <i>Cassia glutinosa</i> | per kg | 7.50 |
| <i>Cassia notabilis</i> | per kg | 5.00 |
| <i>Cassia oligophylla</i> | per kg | 6.00 |
| <i>Cassia sturtii</i> | per kg | 7.50 |
| <i>Casuarina equisetifolia</i> | per kg | 7.50 |
| <i>Clianthus formosus</i> | per kg | 10.00 |
| <i>Cochlospermum fraseri</i> | per kg | 10.00 |
| <i>Cycas angulata</i> R.Br. | per 100 seeds | 2.00 |
| <i>Cycas armstrongii</i> Miq. | per 100 seeds | 1.00 |
| <i>Cycas brunnea</i> | per 100 seeds | 10.00 |
| <i>Cycas calcicola</i> Maconochie | per 100 seeds | 5.00 |
| <i>Cycas canalis</i> subsp. <i>canalis</i> | per 100 seeds | 2.00 |
| <i>Cycas canalis</i> subsp. <i>carinata</i> | per 100 seeds | 2.00 |
| <i>Cycas conferta</i> | per 100 seeds | 2.00 |
| <i>Cycas maconochieana</i> | per 100 seeds | 2.00 |
| <i>Cycas pruinosa</i> Maconochie | per 100 seeds | 2.00 |
| <i>Dodonaea platyptera</i> | per kg | 10.00 |
| <i>Enchylaena tomentosa</i> | per kg | 10.00 |

Territory Wildlife Regulations

| | | |
|------------------------------------|--------|-------|
| <i>Erythrophleum chlorostachys</i> | per kg | 8.00 |
| <i>Eucalyptus alba</i> | per kg | 12.50 |
| <i>Eucalyptus apodophylla</i> | per kg | 10.00 |
| <i>Eucalyptus argillacea</i> | per kg | 10.00 |
| <i>Eucalyptus aspera</i> | per kg | 10.00 |
| <i>Eucalyptus bigalerita</i> | per kg | 10.00 |
| <i>Eucalyptus bleeseri</i> | per kg | 15.00 |
| <i>Eucalyptus brevifolia</i> | per kg | 10.00 |
| <i>Eucalyptus camaldulensis</i> | per kg | 12.50 |
| <i>Eucalyptus chlorophylla</i> | per kg | 10.00 |
| <i>Eucalyptus clavigera</i> | per kg | 13.00 |
| <i>Eucalyptus confertiflora</i> | per kg | 13.00 |
| <i>Eucalyptus dichromophloia</i> | per kg | 13.00 |
| <i>Eucalyptus ferruginea</i> | per kg | 12.50 |
| <i>Eucalyptus foelscheana</i> | per kg | 13.25 |
| <i>Eucalyptus grandifolia</i> | per kg | 13.00 |
| <i>Eucalyptus herbertiana</i> | per kg | 10.00 |
| <i>Eucalyptus latifolia</i> | per kg | 13.25 |
| <i>Eucalyptus leucophloia</i> | per kg | 10.00 |
| <i>Eucalyptus microtheca</i> | per kg | 7.50 |
| <i>Eucalyptus miniata</i> | per kg | 15.00 |
| <i>Eucalyptus nesophila</i> | per kg | 10.00 |
| <i>Eucalyptus normantonensis</i> | per kg | 12.50 |
| <i>Eucalyptus pachyphylla</i> | per kg | 9.00 |
| <i>Eucalyptus papuana</i> | per kg | 12.50 |
| <i>Eucalyptus patellaris</i> | per kg | 10.00 |
| <i>Eucalyptus phoenicea</i> | per kg | 15.00 |
| <i>Eucalyptus polycarpa</i> | per kg | 20.00 |
| <i>Eucalyptus pruinosa</i> | per kg | 15.00 |
| <i>Eucalyptus ptychocarpa</i> | per kg | 20.00 |
| <i>Eucalyptus setosa</i> (red) | per kg | 32.50 |
| <i>Eucalyptus tectifida</i> | per kg | 12.50 |
| <i>Eucalyptus terminalis</i> | per kg | 12.50 |

Territory Wildlife Regulations

| | | |
|---------------------------------|---------------|-------|
| <i>Eucalyptus tetradonta</i> | per kg | 10.00 |
| <i>Eucalyptus tintinnans</i> | per kg | 10.00 |
| <i>Euodia elleryana</i> | per kg | 5.00 |
| <i>Gossypium sturtianum</i> | per kg | 20.00 |
| <i>Grevillea decurrens</i> | per kg | 30.00 |
| <i>Grevillea dryandri</i> | per kg | 37.50 |
| <i>Grevillea formosa</i> | per kg | 37.50 |
| <i>Grevillea goodii</i> | per kg | 30.00 |
| <i>Grevillea mimosoides</i> | per kg | 30.00 |
| <i>Grevillea parallela</i> | per kg | 30.00 |
| <i>Grevillea pteridifolia</i> | per kg | 30.00 |
| <i>Grevillea refracta</i> | per kg | 37.50 |
| <i>Grevillea striata</i> | per kg | 30.00 |
| <i>Grevillea wickhamii</i> | per kg | 37.50 |
| <i>Gyrocarpus americanus</i> | per kg | 5.00 |
| <i>Hakea arborescens</i> | per kg | 30.00 |
| <i>Ipomea brasiliensis</i> | per kg | 10.00 |
| <i>Leptospermum parviflorum</i> | per kg | 10.00 |
| <i>Livistona benthamii</i> | per 100 seeds | 2.50 |
| <i>Livistona humilis</i> | per 100 seeds | 1.50 |
| <i>Livistona inermis</i> | per 100 seeds | 3.00 |
| <i>Livistona rigida</i> | per 100 seeds | 2.50 |
| <i>Macrozamia macdonnellii</i> | per 100 seeds | 10.00 |
| <i>Melaleuca argentea</i> | per kg | 12.50 |
| <i>Melaleuca bracteata</i> | per kg | 10.00 |
| <i>Melaleuca dealbata</i> | per kg | 10.00 |
| <i>Melaleuca leucadendra</i> | per kg | 10.00 |
| <i>Melaleuca minutifolia</i> | per kg | 10.00 |
| <i>Melaleuca nervosa</i> | per kg | 15.00 |
| <i>Melaleuca viridiflora</i> | per kg | 10.00 |
| <i>Owenia vernicosa</i> | per 100 seeds | 7.50 |
| <i>Pandanus spiralis</i> | per 100 seeds | 7.50 |
| <i>Petalostigma pubescens</i> | per kg | 12.50 |

Territory Wildlife Regulations

| | | |
|---------------------------------|---------------|-------|
| <i>Pongamia pinnata</i> | per kg | 10.00 |
| <i>Ptilotus exaltatus</i> | per kg | 7.50 |
| <i>Sesbania cannabina</i> | per kg | 3.75 |
| <i>Syzygium armstrongii</i> | per 100 seeds | 5.00 |
| <i>Syzygium eucalyptoides</i> | per 100 seeds | 5.00 |
| <i>Syzygium minutiflorum</i> | per 100 seeds | 5.00 |
| <i>Syzygium suborbiculare</i> | per 100 seeds | 2.50 |
| <i>Terminalia arostrata</i> | per kg | 4.00 |
| <i>Terminalia canescens</i> | per kg | 7.50 |
| <i>Terminalia carpentariae</i> | per kg | 5.00 |
| <i>Terminalia ferdinandiana</i> | per kg | 5.00 |
| <i>Terminalia platyphylla</i> | per kg | 10.00 |
| <i>Terminalia platyptera</i> | per kg | 5.00 |
| <i>Terminalia seriocarpa</i> | per kg | 5.00 |
| <i>Terminalia volucris</i> | per kg | 7.50 |
| <i>Triodia wiseana</i> | per kg | 3.00 |
| <i>Xanthostemon paradoxus</i> | per kg | 25.00 |

Whole Plants

| | | |
|------------------------------------|----------|-------|
| <i>Acacia auriculiformis</i> | per tree | 8.00 |
| <i>Bambusa arnhemica</i> | per stem | 0.50 |
| <i>Erythrophleum chlorostachys</i> | per tree | 10.00 |
| <i>Eucalyptus bigalerita</i> | per tree | 8.00 |
| <i>Eucalyptus confertiflora</i> | per tree | 8.00 |
| <i>Eucalyptus ferruginea</i> | per tree | 8.00 |
| <i>Eucalyptus grandiflora</i> | per tree | 8.00 |
| <i>Eucalyptus miniata</i> | per tree | 8.00 |
| <i>Eucalyptus papuana</i> | per tree | 8.00 |
| <i>Eucalyptus polycarpa</i> | per tree | 8.00 |
| <i>Eucalyptus tetradonta</i> | per tree | 8.00 |
| <i>Melaleuca leucadendra</i> | per tree | 8.00 |

Territory Wildlife Regulations

Didgeridoos

| | | |
|-------------|-----------|------|
| All species | per stick | 1.00 |
|-------------|-----------|------|

Leaves

| | | |
|-------------------------------|----------------|------|
| <i>Cycas armstrongii</i> Miq. | per 100 leaves | 3.00 |
|-------------------------------|----------------|------|

| | | |
|----------------------------|----------------|------|
| <i>Cycas maconochieana</i> | per 100 leaves | 3.00 |
|----------------------------|----------------|------|

Fruits

| | | |
|---------------------------------|--------|------|
| <i>Terminalia ferdinandiana</i> | per kg | 1.00 |
|---------------------------------|--------|------|

Firewood

| | | |
|------------------------------|-----------|------|
| <i>Acacia aneura</i> (mulga) | per tonne | 5.00 |
|------------------------------|-----------|------|

| | | |
|----------------------------------------|-----------|------|
| <i>Acacia estrophiolata</i> (ironwood) | per tonne | 5.00 |
|----------------------------------------|-----------|------|

| | | |
|------------------------------------------|-----------|------|
| <i>Eucalyptus camaldulensis</i> (redgum) | per tonne | 5.00 |
|------------------------------------------|-----------|------|

Boomerangs

| | | |
|------------------------------|-----------|------|
| <i>Acacia aneura</i> (mulga) | per stick | 1.00 |
|------------------------------|-----------|------|

SCHEDULE 3

Regulation 7

REPEALED REGULATIONS

| | |
|--------------------------------------------------|--------------------------|
| Territory Wildlife Regulations | Regulations 1978, No. 24 |
| Amendments of the Territory Wildlife Regulations | Regulations 1983, No. 19 |
| Amendments of the Territory Wildlife Regulations | Regulations 1988, No. 38 |
| Amendments of the Territory Wildlife Regulations | Regulations 1989, No. 33 |
| Amendments of Territory Wildlife Regulations | Regulations 1994, No. 8 |
| Amendment of Territory Wildlife Regulations | Regulations 1997, No. 7 |
| Amendment of Territory Wildlife Regulations | Regulations 1997, No. 24 |

Territory Wildlife Regulations

Notes

1. The Territory Wildlife Regulations Regulations, in force under the *Territory Parks and Wildlife Conservation Act*, comprise the Regulations 2001, No. 1 and amendments made by other legislation, the details of which are specified in the following table:

| Year and number | Date made | Date notified in the <i>Gazette</i> | Date of commencement |
|-----------------|-------------|-------------------------------------|----------------------|
| 2001, No. 1 | 1 Feb 2001 | 14 Feb 2001 | 14 Feb 2001 |
| 2004, No. 2 | 30 Jan 2004 | 4 Feb 2004 | 4 Feb 2004 |

Table of Amendments

Regulation

3. Substituted by 2004, No. 2
